







- NOTES:
- 1. MATERIAL CODE: SVLT(L)(157)E-C5
 - 2. FACE STOCK: SEMI-RIGID PVC (THICKNESS: 0.150mm +/-0.008mm)
 - 3. ADHESIVE THICKNESS: 0.025+/-0.003
 - 4. ADHESION TO MIRROR STEEL: >0.6kg/inch
 - 5. NO GREASE, NO DEFECTS, NO SCRATCHES
 - 6. RoHS 3.0 (EU) 2015/863 COMPLIANT

SEE SHEET 1 FOR MORE DETAILS		 5200 Illumina Way San Diego, CA 92122 Phone (858) 202-4500 www.illumina.com	
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS INTERPRET SHEET PER ASME Y14.5-2009			
THIRD ANGLE PROJECTION 		DESCRIPTION PROTECTIVE FILM WASTE DOOR	
ILLUMINA PROPRIETARY & CONFIDENTIAL		SIZE B	SCALE 1:2
CAD GENERATED DRAWING, DO NOT MANUALLY UPDATE		DWG. NO. 20103680	REV. C
INTERNAL: PLM status: Production		DO NOT SCALE DRAWING SHEET 3 OF 3	